

1674 Fine mapping of a fiber length QTL on cotton chromosome 1

Dr. Xinlian Shen , University of Georgia, Tifton, GA
Dr. Edward L. Lubbers , University of Georgia, Tifton, GA
Dr. Andrew Paterson , Plant Genome Mapping Laboratory, Athens, GA
Dr. Peng W. Chee , University of Georgia, Tifton, GA

Earlier analysis of a backcross-self mapping population derived from a cross between *Gossypium hirsutum* cv 'Tamcot2111' and *Gossypium barbadense* 'Pima S6' resulted in the identification of a number of QTLs for fiber quality. A significant fiber length QTL was located on the chromosome 1 linked to RFLP markers PGH377 and A1485. Three plants which bear a recombination event in this QTL interval were selected to develop three BC₃F₃ populations. SSR markers near RFLP markers PGH377 and A1485 on Chromosome 1 were used to detect recombination breakpoints. All populations were genotyped with SSR markers between two breakpoints BNL1350 and JESPR56, resulting in 8 recombinants identified. Composite interval mapping showed that the QTL for fiber length on chromosome 1 explained from 10.8 to 43.1% of phenotypic variation in different populations based on four environments. Further fine mapping indicated this QTL to be located in the 1.5 cM interval flanked by markers BNL2921 and JESPR56.